## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database with million)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:41
L2	0	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:42
L3	0	((advice or advis\$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:42
L4	0	((advice or advis\$3 or answer or solution or fixes) with million) and (extensible same (non adj procedur\$3) same language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:45
L5	2	(advice or advis\$3 or answer or solution or fixes) and (extensible same (non adj procedur \$3) same language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:49

L6	0	(advice or advis\$3 or answer or solution or fixes) and (extensible same (non adj procedur \$3) same language) and (sub adj expression)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:49
L7	2	"6167567".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:50
L8	0	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and (extensible same (non adj procedur\$3) same language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:51
L9	7	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute) with (detect \$5 or glean\$3 or scan \$4 or monitor\$3)) and ((extensible adj2 language) or xml) and (millions with (advice or records or answers or solutions))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:55
L10	3	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:55

L11	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language and anonymous	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:55
L12	3	(million with (advice or recommend\$5 or answer or solution)) and (automatic\$4) and ((extensibl\$3 adj2 language) or xml or xl) and ((scan\$4 or glean \$4 or monitor\$4) with (property or attribute or characteristic or trait or feature) with (system or device or node or computer or apparatus))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:55
L15	0	(((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:56
L24	0	or scan\$4 or prob\$3 or quer\$4 or glean\$3)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/03 20:58

L26	1	(709/223,224 715/714). ccls. and (((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR OR	ON	2009/11/03 20:59 2007/05/24
01	'	0020200 .pm.	USPAT	Ort	OIV	18:52
S2	75	("4517468" "4654852" "4823343" "4935870" "5063523" "5115501" "5155847" "5179695" "5245532" "5245656" "5247683" "5287505" "5349674" "5379409" "5381403" "5388252" "5428778" "5446919" "5475625" "5493692" "5515098" "5534911" "5535321" "5566339" "5576952" "5600781" "5603031" "5603054" "5611050" "5613002" "5614927" "5619648" "5623656" "5627764" "5636346" "5696965" "5710884" "5717923" "5745669" "5748877" "5754938" "5754939" "5754938" "5754938" "5754938" "5754938" "5754938" "5754938" "5754938" "5754938" "5754938" "5774170" "5778187" "5790798" "5796395" "5802253" "5802518" "5805897" "5828837" "584836" "584828" "5855018" "5862322" "5867714" "5867799" "5870724" "5923845" "6047053" "6078924" "6088717" "6167448").pn.	US-PGPUB; USPAT	OR	N N	2006/11/24 15:13

S3	78	@ay<"1999" and ((agent or daemon) with (scan\$4 or quer\$3 or detect\$3 or determin \$3) with (device or apparatus or peripheral) with (pc or computer or workstation or desktop))	US-PGPUB; USPAT	OR		2007/05/24 18:53
S4	8	@ay<"1999" and ((agent or daemon) with (scan\$4 or quer\$3 or detect\$3 or determin \$3) with (device or apparatus or peripheral) with (pc or computer or workstation or desktop)) and 709/223,224.ccls.	US-PGPUB; USPAT	OR	ON	2007/05/24 18:54
S5	125	@ay<"1999" and ((agent or daemon) with (scan\$4 or monitor \$3 or quer\$3 or detect \$3 or determin\$3) with (device or apparatus or peripheral) with (pc or computer or workstation or desktop))	US-PGPUB; USPAT	OR	ON	2007/10/31 19:51
\$6	9	@ay<"1999" and ((automatic\$6) with (agent or daemon) with (scan\$4 or quer\$5 or detect\$3 or determin\$3 or inspect\$3) with (computer or pc or workstation or node or desktop or device)) and 709/223,224.ccls.	US-PGPUB; USPAT	OR	ON	2007/11/07 18:22
S7	101	@ay<"1999" and ((automatic\$6) with (agent or daemon) with (scan\$4 or quer\$5 or detect\$3 or determin\$3 or inspect\$3) with (computer or pc or workstation or node or desktop or device))	US-PGPUB; USPAT	OR	ON	2007/11/07 18:36
S8	92	S7 not S6	US-PGPUB; USPAT	OR	ON	2007/11/07 18:47

S9	8	S8 and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/11/07 18:47
S10	19	@ay<"1999" and ((automatic\$6) with (agent or daemon) with (scan\$4 or quer\$5 or detect\$3 or determin\$3 or inspect\$3)) and 709/223,224.ccls.	US-PGPUB; USPAT	OR	ON	2007/11/07 18:50
S11	9	@ay<"1999" and 709/223,224.ccls. and ((agent or daemon) with (computer or pc or client or workstation) with (automatic))	US-PGPUB; USPAT	OR	ON	2007/11/07 19:08
S12	0	@ay<"1999" and 709/223,224.ccls. and ((agent or daemon) with (automatic) with hardware)	US-PGPUB; USPAT	OR	ON	2007/11/08 15:35
S13	25	@ay<"1999" and 709/223,224.ccls. and ((agent or daemon) with (automatic)) and hardware	US-PGPUB; USPAT	OR	ON	2007/11/08 15:36
S14	4	@ay<"1999" and 709/223,224.ccls. and ((agent or daemon) with (automatic) with (monitor\$3)) and hardware	US-PGPUB; USPAT	OR	ON	2007/11/08 15:46
S15	7	@ay<"1999" and 709/223,224.ccls. and ((agent or daemon) with (automatic) with (monitor\$3))	US-PGPUB; USPAT	OR	ON	2007/11/08 16:11
S16	3	S15 not S14	US-PGPUB; USPAT	OR	ON	2007/11/08 16:11
S17	138	@ay<"1999" and snmp and 709/223,224.ccls. and (RAM or ROM) and (speed or type or model or make)	US-PGPUB; USPAT	OR	ON	2007/11/08 16:39
S18	2	@ay<"1999" and snmp. ti. and 709/223,224. ccls. and (RAM or ROM) and (speed or type or model or make)	US-PGPUB; USPAT	OR	ON	2007/11/08 16:40

S19	13	@ay<"1999" and 709/223,224.ccls. and (snmp with auto\$7) and ((monitor\$3 or scan \$4 or detect\$3) with (stor\$3 or memory or RAM or ROM))	US-PGPUB; USPAT	OR	ON	2007/11/08 16:43
S20	135	@ay<"1999" and 709/223,224.ccls. and (snmp) and ((monitor \$3 or scan\$4 or detect \$3) with (stor\$3 or memory or RAM or ROM))	US-PGPUB; USPAT	OR	········	2007/11/08 16:45
S21	92	@ay<"1999" and 709/223,224.ccls. and (snmp) and ((monitor \$3 or scan\$4 or detect \$3) with (memory or RAM or ROM))	US-PGPUB; USPAT	OR	ON	2007/11/08 16:45
S22	83	S21 not S19	US-PGPUB; USPAT	OR	ON	2007/11/08 16:46
S23	2	@ay<"1999" and 709/223,224.ccls. and (snmp) and ((monitor \$3 or scan\$4 or detect \$3) with (trait or characteristic) with (memory or RAM or ROM))	US-PGPUB; USPAT	OR		2007/11/08 16:49
S24	1	"20010042104"	US-PGPUB; USPAT	OR	ON	2008/05/06 15:42
S25	1	"6418445".pn.	US-PGPUB; USPAT	OR	ON	2009/01/04 00:00
S26	3	((advice or recommendation or answer or solutions) with (million)) and 709/223,224.ccls. and xml	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:15
S27	2	((advice or recommendation or answer or solutions) with (million)) and 709/223,224.ccls. and (extensible with language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:17

S28	3	((advice or recommendation or answer or solutions) with (million)) and 709/223,224.ccls. and (java)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:18
S29	6	((advice or recommendation or answer or solutions) with (million)) and 709/223,224.ccls. and language	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:18
S30	601	((advice or recommendation or answer or solutions)) and 709/223,224.ccls. and (extensible with language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:19
S31	134	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute)) and 709/223,224.ccls. and (extensible with language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:19
S32	218	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute)) and 709/223,224.ccls. and (extensible adjlanguage)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:23
S33	115	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute)) and 709/223,224.ccls. and (extensible adj2 language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:23

<b>S</b> 34	7	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute) with (detect \$5 or glean\$3 or scan \$4 or monitor\$3)) and 709/223,224.ccls. and (extensible adj2 language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:24
S35	199	((advice or recommendation or answer or solutions)) and ((client or computer or node) with (trait or property or attribute) with (detect \$5 or glean\$3 or scan \$4 or monitor\$3)) and (extensible adj2 language)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:24
<b>S</b> 36	2	"6263362".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 00:26
S37	171	("20020029350"   "20020065884"   "20030041240"   "20030208454"   "4517468"   "4654852"   "4823343"   "4935870"   "5063523"   "5155847"   "5167567"   "5179695"   "5247683"   "5247683"   "5247683"   "5379409"   "5384103"   "5388188"   "5388252"   "5428778"   "5446919"   "5475625"   "5493692"   "5576952"   "5586304"   "5596994"   "5600781"   "5603031"	US-PGPUB; USPAT	OR	ON	2009/01/04

"5611050"   "5613002"		
"5614927 <sup>"</sup>		
"5619648"   "5623656"		
"5633910"		
"5636346"   "5678002"		
"5691917"		
"5694546"   "5696965"		
"5704044"		
"5710884"   "5717923"		
"5722418"		
"5724521"   "5724567"		
"5732212"		
"5740549"   "5745669"		
"5748877"		
"5754938"   "5754939"		
"5758257"		
"5761622"   "5761662"		
"5764898"		
"5768508"   "5774170"		
"5778187 <sup>"</sup>		
"5790798"   "5796395"		
"5802253"		
"5802518"   "5805897"		
"5822743"		
"5828837"   "5835087"		
"5848271"		
"5848396"   "5850520"		
"5854828"		
"5854923"   "5855018"		
"5862322"		
"5867714"   "5867799"		
"5870724"		
"5893091"   "5919247"		
"5923845"		
"5924094"   "5944839"		
"5974409"		
"5974446"   "5987440"		
"6012053"		
"6016394"   "6026148"		
"6029195"		
"6029258"   "6035423"		
"6038399"		
"6047053"   "6078924"		
"6088717"		
"6092102"   "6098061"		
"6098099"		
"6119164"   "6125369"		
"6141664"		
"6151643"   "6161218"		
"6167448"		
"6170014"   "6185599"		
"6219788"		
"6237144"   "6240451"		
"6256664"		
"6256668"   "6259891"		
<b> </b>		

S41 2	2	(million with (advice or recommend\$5 or answer or solution)) and (automatic\$4) and ((extensibl\$3 adj2 language) or xml or xl) and ((scan\$4 or glean \$4 or monitor\$4) with (property or attribute or characteristic or trait or feature) with (system or device or node or computer or apparatus))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/04 16:25
S42		("20020029350"   "20020065884"   "20030041240"   "20030208454"   "4517468"   "4654852"   "4823343"   "4935870"   "5063523"   "5115501"   "5155847"   "5167567"   "5179695"   "5245532"   "5245656"   "5247683"   "5379409"   "5384103"   "5388188"   "5388252"   "5428778"   "5446919"   "5475625"   "5493692"   "5515098"   "5534911"   "5535321"   "5566339"   "5576952"   "5586304"   "5596994"   "5600781"   "5603031"   "5611050"   "5613002"   "5619648"   "5623656"   "5633910"   "5633910"   "5694546"   "5696965"   "5704044"   "5710884"   "5717923"   "5722418"   "5724521"   "5724567"   "5732212"   "5748877"   "5754938"   "5754939"	US-PGPUB; USPAT	OR		2009/01/04

,	ı.č			
"5758257"				
"5761622"   "5761662"				
"5764898"				
"5768508"   "5774170"				
"5778187"				
"5790798"   "5796395"				
"5802253"				
"5802518"   "5805897"				
"5822743"				
"5828837"   "5835087"				
"5848271"				
"5848396"   "5850520"				
"5854828"				
"5854923"   "5855018"				
"5862322"				
"5867714"   "5867799"				
"5870724"				
"5893091"   "5919247"				
"5923845"				
"5924094"   "5944839"				
"5974409"				
"5974446"   "5987440"				
"6012053"				
"6016394"   "6026148"				
"6029195 <sup>"</sup>				
"6029258"   "6035423"				
"6038399 <sup>"</sup>				
"6047053"   "6078924"				
"6088717"				
"6092102"   "6098061"				
"6098099"				
"6119164"   "6125369"				
"6141664"				
"6151643"   "6161218"				
"6167448"				
"6170014"   "6185599"				
"6219788"				
"6237144"   "6240451"				
"6256664"				
"6256668"   "6259891"				
"6263362"   "6278716"   "6289510"				
-				
"6321258"				
"6324683"   "6324691"				
"6324693"				
"6327617"   "6330610"				
"6330715"				
"6345386"   "6347396"   "6347308"				
"6347398"				
"6356936"   "6366956"				
"6389589"				
"6418445"   "6418554"				
"6421781"				
"6438580"   "6460036"				
"6473745"				
,	e ·	•	2	

	"6546488"   "6564369"   "6594369"   "6694130"   "6658464"   "6658489"   "6704804"   "6725242"   "6725452"   "6735766"   "6745224"   "6746224"   "6746224"   "6769009"   "6789255"   "6802061"   "6804663"   "6832247"   "6836794"   "6934457"   "6920631"   "6922831"   "6931434"   "6941453"   "6971094"   "6996815"   "6996819"   "0627764").PN. and (extensible adj2 language)			
S43	("20020029350"   "20020065884"   "20030041240"   "20030208454"   "4517468"   "4654852"   "4823343"   "4935870"   "5063523"   "5115501"   "5155847"   "5167567"   "5245532"   "5245656"   "5247683"   "5278979"   "5287505"   "5349674"   "5379409"   "5384103"   "5388188"   "5388252"   "5428778"   "5446919"   "5545625"   "5493692"   "5515098"   "5534911"   "5535321"   "5566339"   "5576952"   "5586304"   "5596994"   "5600781"   "5603031"   "5611050"   "5613002"   "5614927"   "5633910"   "5633910"   "5636346"   "5678002"   "5694546"   "5696965"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	2009/01/04

"5704044"				
"5710884"   "5717923"				
"5722418"				
"5724521"   "5724567"				
"5732212"				
"5740549"   "5745669"				
"5748877"				
"5754938"   "5754939"				
"5758257"				
"5761622"   "5761662"				
"5764898"				
"5768508"   "5774170"				
"5778187"				
"5790798"   "5796395"				
"5802253"				
"5802518"   "5805897"				
"5822743"				
"5828837"   "5835087"				
"5848271"				
"5848396"   "5850520"				
"5854828"				
"5854923"   "5855018"				
"5862322"				
"5867714"   "5867799"				
"5870724"				
"5893091"   "5919247"				
"5923845"				
"5924094"   "5944839"				
"5974409"				
"5974446"   "5987440"				
"6012053"				
"6016394"   "6026148"				
"6029195"				
1				
"6029258"   "6035423"				
"6038399"				
"6047053"   "6078924"				
"6088717"				
"6092102"   "6098061"				
"6098099"				
"6119164"   "6125369"				
"6141664"				
"6151643"   "6161218"				
"6167448"				
"6219788"				
"6237144"   "6240451"				
"6256664"				
"6256668"   "6259891"				
"6263362"   "6279716"   "6290510"				
"6278716"   "6289510"				
"6321258"				
"6324683"   "6324691"				
"6324693"				
"6327617"   "6330610"				
"6330715"				
<b>:</b>	<b>}</b>	Į.	1	

		"6345386"   "6347396"   "6347398"   "6356936"   "6366956"   "6389589"   "6418445"   "6421781"   "6423745"   "6546488"   "6564369"   "6594369"   "6658464"   "6658489"   "6725242"   "6725452"   "6745224"   "6745224"   "6746224"   "6746224"   "6769009"   "6789255"   "6804663"   "6832247"   "6836794"   "6922831"   "6920631"   "6922831"   "6996815"   "6996815"   "6996819"   "0627764").PN. and (extensible adj2 language)				
S44	372	answer or solutions))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:08
S45	7	((advice or recommendation or answer or solutions)) and ((client or	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	S CONTRACTOR OF THE PROPERTY O	2009/06/17 15:12

		solutions))				
S46	1	and ((monitor\$3 or scan	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:34
S47	1332	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:34
S48	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database with million)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:35
S49	3	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:36
S50	3	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ÓN	2009/06/17 15:39

S51	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language and anonymous	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:40
S52	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language and (anonymous or anonymity)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:40
S53	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis\$3 or answer or solution or fixes) with database) and language and broadcast\$3	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:44
S54	0	@ay<"1998" and ((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait) with (agent or daemon)) and language and broadcast \$3	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:28

S55	7	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR		2009/06/17 16:28
S56	1	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/17 16:28

## **EAST Search History (Interference)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	·····	((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis \$3 or answer or solution or fixes) with database with million)	USPAT; UPAD	OR	ON	2009/11/03 20:55
L14	······································	(((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis \$3 or answer or solution or fixes) with database with million)).	USPAT; UPAD	OR	ON	2009/11/03 20:56

L16	0		USPAT; UPAD	OR	ON	2009/11/03 20:56
L17	0	(709/223,224 715/714).ccls. and (((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis \$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)).clm.	USPAT; UPAD	OR	ON	2009/11/03 20:57
L18	0	((advice or advis\$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)	USPAT; UPAD	OR	ON	2009/11/03 20:57
L19	0	(709/223,224 715/714).ccls. and ((advice or advis\$3 or answer or solution or fixes) with database with million) and (extensible same (non adj procedur\$3) same language)	USPAT; UPAD	OR	ON	2009/11/03 20:57
L20	0	((advice or advis\$3 or answer or solution or fixes) with million) and (extensible same (non adj procedur\$3) same language)	USPAT; UPAD	OR	ON	2009/11/03 20:57

L21	0	(709/223,224 715/714).ccls. and ((advice or advis\$3 or answer or solution or fixes) with million) and (extensible same (non adj procedur\$3) same language)	USPAT; UPAD	OR	ON	2009/11/03 20:57
L22	0	((advice or advis\$3 or answer or solution or fixes) and (extensible same (non adj procedur \$3) same language)). clm.	USPAT; UPAD	OR	ON	2009/11/03 20:58
L23	0	(709/223,224 715/714).ccls. and ((advice or advis\$3 or answer or solution or fixes) and (extensible same (non adj procedur \$3) same language)). clm.	USPAT; UPAD	OR	ON	2009/11/03 20:58
L25	0	(709/223,224 715/714).ccls. and (((monitor\$3 or scan\$4 or prob\$3 or quer\$4 or glean\$3) with (automatic\$5) with (property or characteristic or trait)) and ((advice or advis \$3 or answer or solution or fixes) with database) and language).clm.	USPAT; UPAD	OR	ON	2009/11/03 20:58

## 11/3/09 9:03:20 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces\ azizul09782011. wsp